

YOUR ADVANTAGES WITH THE AccurioPrint C4065

RETHINK PRODUCTION PRINTING

READY-MADE PRINT PRODUCTS

- Stacking of up to 4,200 sheets
- Two-point and corner Stapling of up to 100 sheets with automatic staple cut mechanism
- Booklet Making up to 80 pages (20 sheets)
- 2- and 4 -hole punching
- Tri-folding up to 3 sheets

DURABLE PERFORMANCE

AccurioPrint C4065

- Up to 66 A4 color pages per minute
- Up to 37 A3 color pages per minute

HIGHEST RELIABILITY

- Long-life platform, long-lasting parts and consumables
- Accurate front to back registration
- Fusing-rolling mechanism

PERFECT IMAGE QUALITY

- S.E.A.D. X technology and 3,600 x 2,400 dpi x 8 bit resolution
- Simitri HDe toner technology
- Image density control technology



ENHANCED SCANNING PERFORMANCE

- The dual scanner scans documents in one path
- Double sheet detector
- Max. 280 ipm (A4, 300 dpi)
- Scanner capacity of 300 sheets

HIGH-END PRINT CONTROL

- Flexible choice of controller technology: EFI® or proprietary Konica Minolta controller
- Integration into hybrid workflows

EASE OF USE

- Simple paper catalogue settings
- Operator Replaceable Unit Management
- Open API/IWS support

SOPHISTICATED MEDIA HANDLING

- Air suction or air-assisted paper feeding technology as an option
- Long sheet printing of up to 1,300 mm (simplex), 864 mm (duplex)



















COMPREHENSIVE MEDIA PROCESSING

- Up to 360 gsm paper weight in simplex and duplex
- Optional media sensor estimates paper weight and type
- Envelope print function as standard
- Support for embossed paper



FINISHING & FUNCTIONS

RETHINK FLEXIBILITY

		 Letter fold	 2/4 hole Punching	 Two-point stapling	 Corner stapling	 Stacking	 Booklet	 Post Insertion
Open stacker OT-512								
Staple finisher FS-532m								
Multi purpose stacker Plockmatic MPS-130								

 standard  optional



10 GOOD REASONS FOR AccurioPrint C4065



1. SIMPLY EFFICIENT

with up to 66 ppm color and 81 ppm monochrome pages per minute and 100% duplex productivity



2. PERFECT IMAGE QUALITY

with Konica Minolta's very own Imaging Technology and Toner development.



5. ENHANCE YOUR RANGE OF PRINT OFFERINGS

and fulfill today's demands for versatile and creative print products.




6. OUTSTANDING PAPER COMPATIBILITY

Media up to 360 gsm. Excellent versatility with class leading banner printing, envelop printing and textured paper printing capabilities.



3. SEAMLESS INTEGRATION

into Konica Minolta's application portfolio.




4. SMART AND COMPACT DESIGN

with robust printing features



7. HIGH RELIABILITY

with long-lasting parts and robust construction




8. LOW LEARNING CURVES

Precise colour matching, even for novice operators, avoids or at least minimises learning curves



9. BENEFIT FROM GREAT BUILT-IN TECHNOLOGIES

e.g. the latest screening and registration technologies.



10. HIGH OUTPUT EVEN WITHOUT SKILLS

by improved technologies.

TAKE THE LEAD AND SHOW RESPONSIBILITY

RETHINK TOMORROWS BUSINESS

Commercial printers

The AccurioPrint C4065 supports you in growing your business and getting the most out of your investment. Its high speed, high productivity and high uptime help you achieve shortest turnaround times, while the great media flexibility with stocks of up to 360 gsm, long sheets of up to 1,300 mm, envelopes and structured media will further enhance the variety of our print offerings.

CRDs

The AccurioPrint C4065 provides the highest degree of automation and produces quality on the highest level. With its professional inline finishing, you can create ready-made products at the push of a button. The versatile media flexibility and high productivity make the series a solid and lucrative investment for the future.

Sustainability

Konica Minolta promotes sustainable development and integrates environmental and social perspectives into its business strategies. In building your business, you can rely on Konica Minolta products to underpin your green strategy.

Committed to help prevent global warming, Konica Minolta strives to reduce CO₂ emissions during product manufacture, product distribution, at the sales stage, and during product use – with even stricter targets than demanded by the Kyoto Protocol.

Enabling carbon neutrality, Konica Minolta proposes to its customers the offset of unavoidable CO₂ emissions for production printing. Together with the experts from Climate Partner, we offer a new and profound concept for professional production devices



CONTROLLER AND OPTIONS

RETHINK THE NEEDS

FIERY IMAGE CONTROLLER IC-419

Architecture	Internal
OS	Windows 10
CPU	Intel® Pentium® Processor G4400
Clock speed	3.3 GHz
RAM std	8 GB
HDD	500 GB
Page-description language	Adobe PostScript 3; native PDF print support V2.0; 183 Adobe PS fonts; APPE v5; PCL5/PCL6; Optimized PDF & PS; Fiery FreeForm Plus; Fiery FreeForm
Applicable OS	Windows 8.1/10; Windows Server 2012/2016/2019; Mac OS X 10.11-15

KONICA MINOLTA IMAGE CONTROLLER IC-607

Architecture	Internal
OS	Linux
CPU	Intel® Pentium® Processor G4400
Clock speed	3.3 GHz
RAM std	16 GB
HDD	2 TB (2 x 1TB)
Page-description language	Adobe PostScript 3; TIFF v6; PDF 1.7, X-1a, X-3, X-4, VT2; PPML 2.2; PCL 5c, XL; PCL XL; JDF/JMF
Applicable OS	Windows 8.1/10; Windows Server 2012/R2/2016/2019; Mac OS X 10.11-15

OPTIONS

KM Image Controller	IC-607
EFI internal Controller	IC-419
Paper Feeding Unit	PF-602m
Dehumidifier heater	HT-504
Paper feeding unit	PF-707m
Dehumidifier heater	HT-506
Large capacity feeding unit	LU-202m
Dehumidifier heater for LU	HT-503
Envelop printing guide for LU	MK-746
Large capacity feeding unit (banner)	LU-202XLm
Multi bypass feeding	MB-508
Banner Paper Feeder kit	MK-760
Multi bypass tray	MB-509
Intelligent Media Sensor	IM-101
Output Tray	OT-511
Envelop Fusing Unit	EF-107
Long Sheet Kit (Output)	MK-761
Stapling Unit	FS-532m
Saddle Stitcher Kit	SD-510
Punch Kit	PK-525
Post Inserter Kit	PI-502
Press & Trim Kit	PT-220
Corner Forming Kit	SF-204
Output Tray Unit	OT-512



KONICA MINOLTA

TECHNICAL SPECIFICATIONS

RETHINK PRODUCTION PRINTING

SYSTEM SPECIFICATIONS

Resolution	3,600 x 2,400 dpi x 8 bit
Paper weight	62 – 360 g/m ²
Paper sizes	330.2 x 487.7 mm 330.2 x 864 mm (max. duplex) 330.2 x 1300 mm (max. simplex)
Paper input	Max.: 7,500 sheets
Dimension (WxDxH)	800 x 903 x 1076 mm
Unit weight	316 kg

PRODUCTIVITY

AccurioPrint C4065

A4 – max. per minute	66 ppm
A3 – max. per minute	37 ppm

- All specifications refer to A4-size paper of 80 gsm quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of A4). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any prices or specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.